GROUP 3

87 questions

DT categories · theory questions

1. The operation of a vehicle is prohibited if:

1. **The rear fog lamps are connected to the brake lights.**
2. The engine coolant temperature gauge is not working.
3. Both of the above.

Answer: 1

---

2. The operation of a vehicle is prohibited if:

1. Even one wheel fastening bolt or nut is missing.
2. Tyres with different tread patterns are fitted on the same axle.
3. **Both of the above.**

Answer: 3

---

3. The operation of a vehicle is prohibited if:

1. The seat head restraints provided for in the vehicle's design are missing.
2. New and retreaded tyres are fitted on the same axle.
3. **Both of the above.**

Answer: 3

---

4. The operation of a vehicle is prohibited if:

1. The engine crankcase ventilation system is not airtight.
2. The engine fuel supply system is not leak-tight.
3. **Both of the above.**

Answer: 3

---

5. The operation of a vehicle is prohibited if:

1. The engine crankcase ventilation system is not airtight.
2. Frost-resistant and non-frost-resistant tyres are fitted on the same axle.
3. **Both of the above.**

Answer: 3

---

6. The operation of a vehicle is prohibited if:

1. The windscreen washers provided for in the vehicle's design are not working.
2. The external noise emitted by the engine exceeds the limits established by the applicable standard.
3. **Both of the above.**

Answer: 3

---

7. The operation of a vehicle is prohibited if:

1. The engine runs intermittently.
2. The rear fog lamps are not connected to the brake lights.
3. **The windscreen washers provided for in the vehicle's design are not working.**
4. In all of the above cases.

Answer: 3

---

8. The operation of a vehicle is prohibited if:

1. Objects or equipment that could injure road users are fitted to the vehicle.
2. The audible warning device (horn) does not work.
3. **In both cases.**

Answer: 3

---

9. The operation of a vehicle is prohibited if:

1. The seat belts provided for in the vehicle's design are not functioning.
2. Objects or equipment obstructing the driver's field of vision from the driver's seat are fitted to the vehicle.
3. **In both cases.**

Answer: 3

---

10. The operation of a vehicle is prohibited if:

1. **Changes (modifications) have been made to the vehicle's design without permission from the vehicle registration authority.**
2. Front turn indicators emit yellow light.
3. In both cases.

Answer: 1

---

11. The operation of a vehicle is prohibited if:

1. **A motor vehicle used for practical driving instruction does not display the required identification sign.**
2. The fuel gauge does not work.
3. In both cases.

Answer: 1

---

12. The operation of a motorcycle is prohibited if:

1. **The safety bars provided for in its design are missing.**
2. The minimum remaining tyre tread depth is 1.6 mm.
3. In both cases.

Answer: 1

---

13. The operation of a vehicle is prohibited if:

1. Front turn indicators emit yellow light.
2. **At least one wheel fastening bolt or nut is missing.**
3. In both cases.

Answer: 2

---

14. The operation of a vehicle is prohibited if:

1. Front turn indicators emit amber light.
2. **The towing coupling of the trailer is defective.**
3. In both cases.

Answer: 2

15. The operation of a vehicle is prohibited if:

1. White retro-reflective devices are fitted to the front of the vehicle.
2. **The towing coupling of the trailer is defective.**
3. In both cases.

Answer: 2

16. The operation of a vehicle is prohibited if:

1. **The seat belts provided for in the vehicle's design are missing.**
2. White reversing lights are fitted to the rear of the vehicle.
3. In both cases.

Answer: 1

17. The operation of a vehicle is prohibited if:

1. The driver's seat adjustment mechanism provided for in the vehicle's design does not work.
2. The interior lighting in the passenger compartment of a bus does not work.
3. **In both cases.**

Answer: 3

18. The operation of a vehicle is prohibited if:

1. Red retro-reflective devices are fitted to the rear of the vehicle.
2. **The speedometer provided for in the vehicle's design does not work.**
3. In both cases.

Answer: 2

19. The operation of a vehicle is prohibited if:

1. The engine is difficult to start.
2. **A first-aid kit is missing from the bus.**
3. In both cases.

Answer: 2

20. The operation of a vehicle is prohibited if:

1. **The warning triangle is missing from the bus.**
2. White lights illuminating the registration plate are fitted to the rear of the vehicle.
3. In both cases.

Answer: 1

21. **The operation of a vehicle is prohibited if:**

1. The hydraulic braking system is not leak-tight.
2. Rear turn indicators emit white light.
3. **In both cases.**

Answer: 3

22. **The operation of a vehicle is prohibited if:**

1. Tyres of different constructions are fitted to the same axle.
2. The engine fuel supply system is not leak-tight.
3. **In both cases.**

Answer: 3

23. **The operation of a vehicle is prohibited if:**

1. **The audible warning device (horn) does not work.**
2. The cooling system does not maintain a stable operating temperature for the engine.
3. In both cases.

Answer: 1

24. **The operation of a vehicle is prohibited if:**

1. Threaded connections in the steering system are not properly tightened or secured as specified.
2. Fire extinguishers are missing from the bus.
3. **In both cases.**

Answer: 3

25. **The operation of a vehicle is prohibited if:**

1. **There is movement in steering components or assemblies that is not provided for in the vehicle's design.**
2. Front turn indicators emit white light.
3. In both cases.

Answer: 1

26. **The operation of a vehicle is prohibited if:**

1. The remaining tyre tread depth on the bus is 1.8 mm.
2. The hydraulic braking system is not leak-tight.
3. **In both cases.**

Answer: 3

27. **The operation of a vehicle is prohibited if:**

1. The pressure gauge of the pneumatic braking system does not work.
2. The remaining tyre tread depth on the bus is 1.6 mm.
3. **In both cases.**

Answer: 3

28. The operation of a vehicle is prohibited if:

1. The exterior lighting devices do not operate in the prescribed modes.
2. The remaining tyre tread depth on the bus is 0.8 mm.
3. **In both cases.**

Answer: 3

---

29. The operation of a bus is prohibited if:

1. The engine runs intermittently.
2. **The tyres have localized damage exposing the tyre cord.**
3. In both cases.

Answer: 2

---

30. The operation of a bus is prohibited if:

1. **A first-aid kit is missing.**
2. The remaining tyre tread depth is 2.2 mm.
3. In both cases.

Answer: 1

---

31. The operation of a vehicle is prohibited if:

1. The interior lighting of a passenger car does not work.
2. **The interior lighting of a bus does not work.**
3. In both cases.

Answer: 2

---

32. The operation of a vehicle is prohibited if:

1. The total steering free play of a bus built on a passenger-car chassis exceeds 10 degrees.
2. The mudguards and splash guards provided for in the vehicle’s design are missing.
3. **In both cases.**

Answer: 3

---

33. The operation of a vehicle is prohibited if:

1. **The total steering free play of a bus built on a passenger-car chassis is 15 degrees.**
2. The total steering free play of a bus is 15 degrees.
3. In both cases.

Answer: 1

---

34. The operation of a bus is prohibited if:

1. **White retro-reflective devices are fitted to the rear of the bus.**
2. Red retro-reflective devices are fitted to the rear of the bus.
3. In both cases.

Answer: 1

---

35. The operation of a bus is prohibited if:

1. The bus is equipped with at least two wheel chocks.
2. **White retro-reflective devices are fitted to the rear of the bus.**
3. In both cases.

Answer: 2

36. The operation of a bus is prohibited if:

1. The emergency door-opening mechanisms do not work.
2. The front turn indicators emit red light.
3. **In both cases.**

Answer: 3

37. The operation of a bus is prohibited if:

1. **The stop-request signal does not work.**
2. The rear turn indicators emit red light.
3. In both cases.

Answer: 1

38. The operation of a bus is prohibited if:

1. **The remaining tyre tread depth is 1.6 mm.**
2. The engine coolant temperature gauge does not work.
3. In both cases.

Answer: 1

39. The operation of a bus is prohibited if:

1. The remaining tyre tread depth is 2.5 mm.
2. **The interior lighting in the passenger compartment does not work.**
3. In both cases.

Answer: 2

40. The operation of a bus is prohibited if:

1. The emergency exits and their operating mechanisms do not work.
2. The stop-request signal does not work.
3. **In both cases.**

Answer: 3

41. The operation of a bus is prohibited if:

1. The door-control mechanism does not work.
2. A first-aid kit is missing.
3. **In both cases.**

Answer: 3

42. **The operation of a bus with a maximum permissible mass exceeding 5 tonnes is prohibited if:**

1. Wheel chocks are missing.
2. The reversing lights fitted to the rear emit red light.
3. **In both cases.**

Answer: 3

---

43. **The operation of a bus is prohibited if:**

1. The bus has only one fire extinguisher.
2. The warning triangle is missing.
3. **In both cases.**

Answer: 3

---

44. **The operation of a bus is prohibited if:**

1. The bus has only one wheel chock.
2. The bus has only one fire extinguisher.
3. **In both cases.**

Answer: 3

---

45. **The operation of a vehicle is prohibited if:**

1. The body-door lock provided by the vehicle design does not work.
2. The cab-door lock provided by the vehicle design does not work.
3. **In both cases.**

Answer: 3

---

46. **The operation of a vehicle is prohibited if:**

1. The rear turn indicators emit red light.
2. **The rear underrun protection device provided by the vehicle design is missing.**
3. In both cases.

Answer: 2

---

47. **The operation of a vehicle is prohibited if:**

1. **The power steering system provided by the vehicle design is faulty or missing.**
2. The car audio system is not functioning.
3. In both cases.

Answer: 1

---

48. **The operation of a vehicle is prohibited if:**

1. The parking brake system cannot hold the vehicle stationary on a gradient specified by the applicable standard.
2. The gearbox seals are leaking.
3. **In both cases.**

Answer: 3

---

49. The operation of a vehicle is prohibited if:

1. The spare-wheel carrier does not work.
2. The rear axle seals are leaking.
3. **In both cases.**

Answer: 3

50. The operation of a vehicle is prohibited if:

1. **There are visible tears in the webbing of the seat belts provided by the vehicle design.**
2. The vehicle is not equipped with fog lamps.
3. In both cases.

Answer: 1

51. The operation of a vehicle is prohibited if:

1. **The bonnet (hood) latch provided by the vehicle design does not work.**
2. The rear side windows are curtained and the vehicle has two exterior rear-view mirrors.
3. In both cases.

Answer: 1

52. The operation of a vehicle is prohibited if:

1. The rear side windows are curtained and the vehicle does not have two exterior rear-view mirrors.
2. The window heating and demisting devices provided by the vehicle design do not work.
3. **In both cases.**

Answer: 3

53. The operation of a vehicle is prohibited if:

1. The fuel tank cap provided by the vehicle design does not work.
2. The front side windows are curtained.
3. **In both cases.**

Answer: 3

54. The operation of a vehicle is prohibited if:

1. The audible warning device (horn) does not work.
2. The windows provided by the vehicle design are missing.
3. **In both cases.**

Answer: 3

55. The operation of a vehicle is prohibited if:

1. There are cracks in a wheel rim or wheel disc.
2. There is visible deformation of the shape or size of the wheel-rim mounting holes.
3. **In both cases.**

Answer: 3

56. The operation of a vehicle is prohibited if:

1. **The exterior lights and retro-reflectors are dirty.**
2. The front and rear protective devices are dirty.
3. In both cases.

Answer: 1

57. The operation of a vehicle is prohibited if:

1. The lamps or lenses of the lighting devices are missing.
2. Lenses or lamps unsuitable for the type of lighting device are being used.
3. **In both cases.**

Answer: 3

58. The operation of a vehicle is prohibited if:

1. **The exterior lights and retro-reflectors are dirty.**
2. Exterior lighting devices from a vehicle of another make are fitted to a vehicle model that is no longer in production.
3. In both cases.

Answer: 1

59. The operation of a vehicle is prohibited if:

1. Yellow retro-reflectors are fitted at the rear of the vehicle.
2. Yellow retro-reflectors are fitted at the front of the vehicle.
3. **In both cases.**

Answer: 3

60. The operation of a vehicle is prohibited if:

1. A vehicle driven by a physician does not display the "Doctor" identification sign.
2. **The fuel tank cap provided by the vehicle design does not work.**
3. In both cases.

Answer: 2

61. The operation of a vehicle is prohibited if:

1. **Tyres with different tread patterns are fitted on the same axle.**
2. A "Children on Board" identification sign with a yellow retro-reflective background and red retro-reflective border is displayed at the front of the vehicle.
3. In both cases.

Answer: 1

62. The operation of a bus is prohibited if:

1. **Bulbs or lenses are missing from the external lights.**
2. The engine coolant temperature gauge does not work.
3. In both cases.

Answer: 1

63. The operation of a bus is prohibited if:

1. The remaining tyre tread depth is 2.5 mm.
2. **The external lights are fitted with lenses or bulbs that are not suitable for those lights.**
3. In both cases.

Answer: 2

64. The operation of a bus is prohibited if:

1. **White-light turn indicators are fitted at the rear.**
2. Red-light turn indicators are fitted at the rear.
3. In both cases.

Answer: 1

65. The operation of a bus is prohibited if:

1. The tyres do not match the vehicle model in size or permitted load rating.
2. Red-light turn indicators are fitted at the front.
3. **In both cases.**

Answer: 3

66. The operation of a bus is prohibited if:

1. At least two wheel chocks are provided.
2. **The exhaust system is defective.**
3. In both cases.

Answer: 2

67. The operation of a bus is prohibited if:

1. **The crankcase ventilation system is not airtight.**
2. Red retroreflectors are fitted at the rear.
3. In both cases.

Answer: 1

68. The operation of a bus is prohibited if:

1. **The emergency exits and their operating mechanisms do not function.**
2. The remaining tyre tread depth is 2.2 mm.
3. In both cases.

Answer: 1

69. The operation of a bus is prohibited if:

1. The door operating mechanism does not work.
2. Only one fire extinguisher is provided.
3. **In both cases.**

Answer: 3

70. The operation of a bus is prohibited if:

1. **Only one fire extinguisher is provided.**
2. Two fire extinguishers are provided.
3. In both cases.

Answer: 1

71. The operation of a bus with a maximum permissible mass exceeding 5 tonnes is prohibited if:

1. Only one wheel chock is provided.
2. Only one fire extinguisher is provided.
3. **In both cases.**

Answer: 3

72. The operation of a bus with a maximum permissible mass exceeding 5 tonnes is prohibited if:

1. Wheel chocks are missing.
2. Red reversing lights are fitted at the rear.
3. **In both cases.**

Answer: 3

73. The operation of a bus is prohibited if:

1. The total free play in the steering system of a bus with a maximum permissible mass exceeding 5 tonnes is 15 degrees.
2. **The total free play in the steering system of a bus built on a passenger car chassis is 15 degrees.**
3. In both cases.

Answer: 2

74. The operation of a bus is prohibited if:

1. Two wheel chocks are provided.
2. **The interior lighting in the passenger compartment does not work.**
3. In both cases.

Answer: 2

75. The operation of a bus is prohibited if:

1. **The warning triangle is missing from the bus.**
2. The rear-wheel fastening bolts are securely tightened.
3. In both cases.

Answer: 1

76. The operation of a bus is prohibited if:

1. The remaining tyre tread depth is 2.2 mm.
2. **The hydraulic brake system is not airtight.**
3. In both cases.

Answer: 2

77. The operation of a bus is prohibited if:

1. Modifications have been made to the bus's design without the permission of the vehicle registration authority.
2. The remaining tyre tread depth is 1.6 mm.
3. **In both cases.**

Answer: 3

---

78. The operation of a bus is prohibited if:

1. The engine runs intermittently.
2. **The dates of the last and next scheduled inspections are not marked on the exterior of the gas cylinders of a bus fitted with a gas-fuel system.**
3. In both cases.

Answer: 2

---

79. The operation of a bus is prohibited if:

1. **The tyres show separation of the carcass plies.**
2. The remaining tyre tread depth is 2.2 mm.
3. In both cases.

Answer: 1

---

80. The operation of a vehicle is prohibited if:

1. **The threaded connections of the steering system are not tightened or secured in the prescribed manner.**
2. The threaded connections of the steering system are secured in the prescribed manner.
3. In both cases.

Answer: 1

---

81. According to the Road Traffic Rules, the operation of a bus is prohibited if:

1. The steering wheel is difficult to turn.
2. **The driver cannot change direction even when travelling at the lowest speed.**
3. The total free play in the steering system is 15 degrees.

Answer: 2

---

82. According to the Road Traffic Rules, the operation of a bus is prohibited if:

1. The brake pedal is difficult to depress.
2. The bus deviates sideways even slightly during braking.
3. **The driver cannot stop the vehicle even when travelling at the lowest speed.**

Answer: 3

---


83. The operation of a bus is prohibited if:

1. The remaining tyre tread depth is 2.2 mm.
2. **The tyres show separation of the tread and sidewall layers.**
3. In both cases.

Answer: 2

---

84. This sign applies:




1. From 15 November of the current year to 31 March of the following year.
2. Throughout the year.
3. **When there is snow or black ice.**

Answer: 3

---

85. This sign applies to:




1. All types of vehicles.
2. **Only trucks and buses with a maximum authorised mass exceeding 3.5 tonnes.**

Answer: 2

---


86. This road sign indicates:



1. 'Winter tyres required'.
2. 'Snow chains required'.
3. 'Studded tyres required'.

Answer: 2

87. The area of effect of this sign extends:



1. To the end of the built-up area.
2. To the end of the section affected by snow or black ice.
3. To the 'End of snow chains requirement' sign.

Answer: 3