GROUP 8

116 questions

DT categories · theory questions

1. What is the maximum permitted speed for a truck carrying passengers in a specially equipped cargo body?

1. **60 km/h.**
2. 70 km/h.
3. 80 km/h.

Answer: 1

---

2. At what distance before the beginning of a hazardous road section is this warning sign placed outside built-up areas?



1. 50–100 m.
2. **150–300 m.**
3. 300–500 m.

Answer: 2

---

3. At what maximum speed may vehicles carrying organized groups of children travel?

1. **Not exceeding 60 km/h.**
2. Not exceeding 70 km/h.
3. Not exceeding 80 km/h.

Answer: 1

---


4. At what maximum speed may vehicles travel in built-up areas?

1. **Not exceeding 60 km/h.**
2. Not exceeding 80 km/h.
3. Not exceeding 90 km/h.

Answer: 1

---

5. **In which directions is traffic permitted?**



1. Straight ahead only.
2. Straight ahead and to the right.
3. **Straight ahead, to the right and to the left.**
4. In all directions.

Answer: 3

---

6. **At what maximum speed may intercity buses travel outside built-up areas?**

1. Not exceeding 70 km/h.
2. **Not exceeding 90 km/h.**
3. Not exceeding 110 km/h.

Answer: 2

---

7. **Are drivers of suburban, interregional and intercity buses permitted to exceed 60 km/h in built-up areas?**

1. Yes, but only on roads with two or more lanes in the same direction.
2. Yes, they are permitted.
3. **No, it is prohibited.**

Answer: 3

---

8. **Is an intercity bus driver permitted to exceed 70 km/h outside built-up areas?**

1. Yes, but only when travelling on roads with two or more lanes in the direction of travel.
2. **Yes, provided the speed does not exceed 90 km/h.**
3. No, it is prohibited.

Answer: 2

---

9. **When towing a vehicle, where must the warning triangle be placed if the hazard warning lights are absent or defective?**

1. **At the rear of the towed vehicle.**
2. At the front of the towing vehicle.
3. On either vehicle in a visible position, at the driver's discretion.

Answer: 1

---

10. When towing with a rigid coupling, the distance between the vehicles must not exceed:

1. 2 m.
2. 3 m.
3. **4 m.**
4. 5 m.
5. 6 m.

Answer: 3

---

11. When towing with a rigid or flexible coupling, in which of the following cases is it permitted to carry passengers in the towed vehicle?

1. In a bus.
2. **In a passenger car.**
3. In the cargo body of a truck when towing with a rigid coupling.

Answer: 2

---

12. What is the maximum permitted speed when towing with a motor vehicle?

1. 30 km/h.
2. 40 km/h.
3. **50 km/h.**
4. 60 km/h.
5. 70 km/h.

Answer: 3

---


13. When roads are icy, towing is prohibited:

1. **With a flexible coupling.**
2. With a rigid coupling.
3. By the partial-loading method.

Answer: 1

---

14. What is the maximum permitted towing speed under the conditions shown?



1. 30 km/h.
2. **50 km/h.**
3. 70 km/h.
4. 80 km/h.

Answer: 2

---

15. When towing with a flexible or rigid coupling, is it permitted to carry passengers in the towed motor vehicle?

1. Yes, in a bus or trolleybus.
2. Yes, but only in a passenger car.
3. Yes, in the cargo body of a truck or in a passenger car.
4. **Yes, in the cab of a truck or in a passenger car.**
5. No, it is prohibited.

Answer: 4

---

16. When roads are icy, towing:

1. Is prohibited.
2. Is permitted.
3. **Is permitted with a rigid coupling or by the partial-loading method.**

Answer: 3

---

17. What is the maximum permitted speed when towing a vehicle with a flexible coupling?

1. 70 km/h.
2. 60 km/h.
3. **50 km/h.**
4. 40 km/h.
5. 30 km/h.

Answer: 3

---

18. In which case is towing prohibited?

1. When roads are icy and a rigid coupling is used.
2. **When roads are icy and a flexible coupling is used.**
3. When using motorcycles with sidecars.

Answer: 2

---

19. When towing motor vehicles outside built-up areas, the speed must not exceed:

1. 30 km/h.
2. 40 km/h.
3. **50 km/h.**
4. 60 km/h.
5. 70 km/h.

Answer: 3

---

20. What distance between the vehicles must be maintained when towing with a flexible coupling?

1. 1–3 m.
2. 2–4 m.
3. 3–6 m.
4. **4–6 m.**
5. 4–8 m.

Answer: 4

---

21. When towing with a rigid coupling, the distance between the vehicles must not exceed:

1. **4 m.**
2. 5 m.
3. 6 m.

Answer: 1

---

22. Is towing a motorcycle with a sidecar permitted?

1. Permitted only with a rigid coupling.
2. Prohibited.
3. **Permitted.**

Answer: 3

---

23. What is the maximum permitted speed when towing with a flexible coupling?

1. 70 km/h.
2. 60 km/h.
3. **50 km/h.**
4. 40 km/h.
5. 30 km/h.

Answer: 3

---

24. Is carrying passengers in a truck trailer permitted?

1. **Prohibited.**
2. Permitted.
3. Permitted only for persons accompanying the cargo.

Answer: 1

---

25. When towing with a rigid or flexible coupling, is it permitted to carry passengers in the towed bus?

1. Permitted.
2. Permitted for up to eight passengers.
3. **Prohibited.**

Answer: 3

---

26. When roads are icy, towing a bus is prohibited:

1. **With a flexible coupling.**
2. With a rigid coupling.

Answer: 1

---

27. When towing with a flexible or rigid coupling, is it permitted to carry passengers in the towed motor vehicle?

1. Permitted in a bus or trolleybus.
2. **Permitted in the cab of a truck or in a passenger car.**
3. Permitted in the cargo body of a truck or in a passenger car.
4. Prohibited.

Answer: 2

---

28. Carrying passengers is prohibited if:

1. The number of passengers on a bus operating on a tourist route exceeds the number of equipped seats.
2. The number of passengers on a bus operating on an intercity route exceeds the number of equipped seats.
3. **In both cases.**

Answer: 3

---

29. When transporting an organized group of children by bus, there must be at least:

1. **One adult accompanying person on board.**
2. Two adult accompanying persons on board.
3. Three adult accompanying persons on board.

Answer: 1

---

30. What is the maximum permitted speed for buses providing interregional and intercity passenger services on all roads outside built-up areas?

1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**

Answer: 3

---

31. Are buses permitted to travel at 70 km/h outside built-up areas?

1. **Permitted.**
2. Prohibited.

Answer: 1

---

32. In built-up areas, buses providing intercity passenger services may travel at a speed not exceeding:

1. **60 km/h.**
2. 70 km/h.
3. 90 km/h.

Answer: 1

---

33. What is the maximum permitted speed for buses providing intercity passenger services outside built-up areas?

1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**

Answer: 3

---

34. What is the maximum permitted speed for buses in areas marked by the “Residential Zone” and “End of Residential Zone” road signs?

1. **20 km/h.**
2. 30 km/h.
3. 40 km/h.

Answer: 1

---

35. When towing with a rigid or flexible coupling, is it permitted to carry passengers in the towed bus?

1. Permitted.
2. **Prohibited.**

Answer: 2

---

36. Is it permitted to carry passengers in the towing bus?

1. Prohibited.
2. **Permitted.**

Answer: 2

---

37. In the presence of this road sign, what is the maximum permitted speed for drivers of intercity buses?



1. 70 km/h.
2. **90 km/h.**
3. 110 km/h.

Answer: 2

---

38. What is the maximum speed at which the driver of the towing bus may travel in this situation?



1. **50 km/h.**
2. 60 km/h.
3. 90 km/h.

Answer: 1

---

39. **What is the maximum speed at which the driver of an intercity bus may travel in this situation?**



1. 60 km/h.
2. 70 km/h.
3. 80 km/h.
4. **90 km/h.**

Answer: 4

---

40. **At what speed may the bus driver continue driving within the area indicated by this road sign?**



1. Less than 60 km/h.
2. At least 60 km/h but not more than 70 km/h.
3. **At least 60 km/h but not more than 90 km/h.**

Answer: 3

---

41. On roads marked by this sign, drivers of intercity buses are permitted to travel at a speed not exceeding:



1. **60 km/h.**
2. 80 km/h.
3. 90 km/h.

Answer: 1

42. On roads marked by this sign, drivers of intercity buses are permitted to travel at a speed not exceeding:



1. 60 km/h.
2. 80 km/h.
3. **90 km/h.**

Answer: 3

43. Is carrying passengers in the bus passenger compartment permitted in this situation?



1. **Prohibited.**
2. Permitted.
3. Permitted up to the number of available seats.

Answer: 1

44. When towing with a rigid or flexible coupling, is carrying passengers in the towed bus permitted?

1. **Prohibited.**
2. Permitted when towing with a rigid coupling.
3. Permitted.

Answer: 1

45. When a vehicle is being towed, which lights or signals must be switched on on the towed vehicle?

1. Main-beam headlights.
2. Dipped-beam headlights.
3. **Hazard warning lights.**

Answer: 3

46. What is the maximum permitted speed for intercity buses on motorways?

1. 70 km/h.
2. 80 km/h.
3. **90 km/h.**
4. 100 km/h.
5. 110 km/h.

Answer: 3

47. **What is the maximum permitted speed for a bus on road sections where this road sign applies?**



1. 70 km/h.
2. 80 km/h.
3. **90 km/h.**
4. 100 km/h.
5. 110 km/h.

Answer: 3

---

48. **What is the maximum permitted speed for intercity buses on motorways?**

1. 70 km/h.
2. 80 km/h.
3. 110 km/h.
4. 100 km/h.
5. **90 km/h.**

Answer: 5

---

49. **What is the maximum permitted speed for vehicles in areas marked by the “Residential Zone” and “End of Residential Zone” road signs?**

1. Not more than 5 km/h.
2. Not more than 10 km/h.
3. **Not more than 20 km/h.**

Answer: 3

---

50. What is the maximum permitted speed for passenger cars on road sections where this road sign applies?



1. 70 km/h.
2. 80 km/h.
3. 90 km/h.
4. 100 km/h.
5. **110 km/h.**

Answer: 5

---

51. When towing a motor vehicle, which lane of this road may you use to continue driving?



1. **Only the right-hand lane.**
2. Either lane.

Answer: 1

---

52. Which conditions must a driver take into account when choosing a speed within the permitted limits?

1. The condition of the road surface.
2. Visibility in the direction of travel.
3. **Both of the above conditions.**

Answer: 3

---

53. What speed should a driver choose within the permitted limits?

1. **A speed that allows the driver to maintain full control of the vehicle.**
2. Any speed that does not exceed the maximum permitted speed.

Answer: 1

---

54. A driver is prohibited from:

1. Exceeding the maximum speed specified in the technical characteristics of the vehicle.
2. Exceeding the speed indicated by the speed limit identification sign displayed on the vehicle.
3. Driving unnecessarily slowly and obstructing the movement of other vehicles.
4. Braking sharply unless necessary to prevent a road traffic accident.
5. **All of the above.**

Answer: 5

55. Which sign imposes a speed limit?



1. 1 and 3.
2. 1 and 4.
3. **2.**
4. 2 and 3.

Answer: 3

56. A driver is prohibited from:

1. Crossing a railway level crossing at a speed exceeding 30 km/h.
2. Crossing a railway level crossing at a speed below 30 km/h.
3. **Crossing a railway level crossing without the permission of the head of the railway track section in a slow-moving vehicle travelling at less than 8 km/h, or in a tractor towing a harrow.**

Answer: 3

57. When approaching an intersection, a driver must drive at a speed that:

1. Does not exceed the maximum permitted speed on that section of road.
2. **Allows the driver to stop and yield the right of way to vehicles that have priority.**

Answer: 2

58. A driver is prohibited from increasing speed:

1. **If doing so would prevent the driver of a vehicle overtaking them from completing the overtaking manoeuvre.**
2. If doing so is necessary to clear the way for a driver who has stopped to yield the right of way to them.
3. If doing so is intended to clear an intersection.

Answer: 1

59. A driver must reduce speed:

1. When approaching a vehicle displaying the “Transport of Children” identification sign while children are boarding or alighting.
2. When dazzled by bright light.
3. When an obstruction or hazard to traffic arises.
4. When approaching a vehicle with flashing blue and red beacons and a special audible warning signal in operation, or a stationary vehicle with flashing blue or blue and red beacons in operation.
5. **In all of the above cases.**

Answer: 5

60. When must a bus driver switch on the hazard warning lights when towing another motor vehicle?

1. Only on the towing bus, to warn vehicles travelling behind it.
2. On both the towing bus and the towed vehicle, to ensure maximum visibility.
3. **Only on the towed vehicle.**

Answer: 3

61. Is it mandatory to place a warning triangle at the rear of a towed vehicle if its hazard warning lights are switched on?

1. Yes, both must be used simultaneously.
2. **No, a warning triangle is required only if the hazard warning lights are absent or defective.**

Answer: 2

62. Is a bus driver permitted to drive at an unnecessarily low speed?

1. Yes, if the driver is tired.
2. **No, if doing so obstructs the movement of other vehicles.**
3. Yes, but only when driving through intersections or following signals from a traffic controller.

Answer: 2

63. When selecting a speed, a bus driver is prohibited from:

1. **Exceeding the speed indicated on the 'Speed Limit' identification sign displayed on the vehicle.**
2. Driving below 60 km/h on any road without a sign specifying a minimum speed.
3. Both of the above.

Answer: 1

64. When selecting a speed, a bus driver is prohibited from:

1. Transporting luggage at the maximum permitted speed for that road section if no specific speed limit is stated in the cargo documents.
2. **Exceeding the speed indicated on the 'Speed Limit' identification sign displayed on the vehicle.**
3. Both of the above.

Answer: 2

65. While driving, a bus driver is prohibited from:

1. **Braking sharply unless necessary to prevent a road traffic accident.**
2. Braking when the vehicle following behind is not keeping a safe distance.
3. Both of the above.

Answer: 1

66. **Within a built-up area, what is the highest permitted speed that the competent authorities may set by using a 'Maximum Speed Limit' sign?**

1. **80 km/h.**
2. 90 km/h.
3. Any speed that is safe for the road section concerned.

Answer: 1

---

67. **Outside built-up areas, what is the highest permitted speed that the competent authorities may set by using a 'Maximum Speed Limit' sign?**

1. 100 km/h.
2. **110 km/h.**
3. Any speed that is safe for the road section concerned.

Answer: 2

---

68. **Within a built-up area, a 'Maximum Speed Limit' sign sets a limit of 80 km/h. What is the maximum permitted speed for a vehicle carrying passengers in an equipped truck body and a vehicle transporting an organized group of children?**



1. 80 km/h.
2. 50 km/h.
3. **60 km/h.**

Answer: 3

---

69. **What is the maximum permitted speed for a bus towing a passenger car?**

1. **50 km/h.**
2. 60 km/h.
3. 90 km/h.

Answer: 1

---

70. **What is the maximum permitted speed for a bus transporting an organized group of children within a built-up area?**

1. 50 km/h.
2. **60 km/h.**
3. 40 km/h.

Answer: 2

---

71. What is the maximum permitted speed for a bus transporting an organized group of children outside built-up areas?

1. **60 km/h.**
2. 90 km/h.
3. 110 km/h.

Answer: 1

72. What is the maximum permitted speed outside built-up areas for buses that do not provide suburban, interregional or intercity passenger services?

1. **70 km/h.**
2. 90 km/h.
3. 60 km/h.

Answer: 1

73. A bus driver must select a speed:

1. **That enables the driver to maintain full control of the vehicle.**
2. That enables the driver to stop only if another vehicle or an obstruction is visible ahead.
3. That satisfies both of the above conditions.

Answer: 1

74. What must a bus driver do if an obstruction or hazard arises that the driver is able to detect?

1. **Take measures to reduce speed, stopping the vehicle if necessary.**
2. Immediately change lanes without reducing speed so as not to disrupt the route schedule.

Answer: 1

75. Is a bus driver permitted to brake sharply?

1. Yes, if the bus is equipped with a modern anti-lock braking system (ABS) and other brake-assist systems.
2. Yes, in any situation, provided the driver has switched on the hazard warning lights beforehand.
3. **Only when necessary to prevent a road traffic accident.**
4. No, it is not permitted.

Answer: 3

76. If a bus displays a 'Speed Limit' identification sign, is its driver permitted to exceed the speed shown?

1. Yes, but only on a road section where a road sign indicates a higher speed limit.
2. **No, exceeding the speed shown on the identification sign is prohibited.**
3. Yes, when driving on a motorway.
4. Yes, by up to 20 km/h if necessary to complete an overtaking manoeuvre.

Answer: 2

77. Is the driver of a scheduled-service bus permitted to travel at a very low speed?

1. **Yes, provided this does not obstruct other vehicles.**
2. No, because doing so would disrupt the route schedule.
3. No, in all circumstances.

Answer: 1

78. In residential zones, bus drivers are prohibited from:

1. **Driving through the zone without stopping at a destination there.**
2. Stopping with the engine running.
3. Both of the above.

Answer: 1

79. In residential zones, minibus drivers are prohibited from:

1. **Conducting driving lessons.**
2. Parking outside spaces designated by signs and/or road markings.
3. Both of the above.

Answer: 1

80. Is a bus driver permitted to tow another vehicle using a rigid coupling if there is no driver at the wheel of the towed vehicle?

1. No, because a driver must be at the wheel of the towed vehicle during any type of towing.
2. **Yes, if the design of the rigid coupling ensures that the towed vehicle follows the path of the towing vehicle when travelling in a straight line.**

Answer: 2

81. When a bus tows another vehicle using a flexible coupling, what is the minimum number of warning devices (flags or panels) that must be attached to make the coupling visible?

1. One for every metre of the coupling.
2. **At least two warning devices.**
3. At least one warning device.

Answer: 2

82. Is it permitted to use a rigid towing coupling of any design or length?

1. **No, because the design of the rigid coupling must meet the applicable standards.**
2. Yes, if at least two red-and-white warning flags are attached to the rigid coupling.

Answer: 1

83. Is a bus permitted to tow a vehicle whose windscreen wipers and factory-fitted washers are not working?

1. **Yes, except where the towed vehicle is being steered by a driver.**
2. No, in any weather conditions, because a vehicle with defective windscreen wipers may not be moved on the carriageway.

Answer: 1

84. Is it permitted to tow a bus whose steering system is not functioning?

1. **Yes, by the partial-loading method.**
2. No, towing is prohibited by any method; a vehicle with a defective steering system may be transported only by recovery vehicle.

Answer: 1

85. **Is a bus with an actual mass of 3 tonnes permitted to tow a passenger car with an actual mass of 1.7 tonnes if the passenger car's braking system is not functioning?**

1. Yes, it is permitted.
2. **No, it is prohibited.**

Answer: 2

---

86. **Is a bus with an actual mass of 3 tonnes permitted to tow a passenger car with an actual mass of 1.3 tonnes if the passenger car's braking system is not functioning?**

1. No, it is prohibited.
2. **Yes, but only with a rigid coupling.**

Answer: 2

---

87. **Which documents must a person providing individual driving instruction carry?**

1. A document issued in the prescribed manner authorizing the person to provide driving instruction.
2. **A driving licence valid for the relevant category of vehicle.**
3. Both documents.

Answer: 2

---

88. **Is it correct that the number of people carried in buses operating on intercity routes must not exceed the number of fitted seats?**

1. No, it is not correct.
2. **Yes, it is correct.**

Answer: 2

---

89. **Is it correct that the number of people carried in buses transporting organized groups of children must not exceed the number of fitted seats?**

1. **Yes, it is correct.**
2. No, it is not correct.

Answer: 1

---

90. **When may a bus driver open the passenger doors for boarding or alighting, and when may the bus start moving?**

1. The driver may open the doors while approaching a bus stop, once the bus has slowed to a minimum speed, and may start moving when no passengers remain at the stop.
2. **The driver must keep the doors closed until the bus comes to a complete stop, open them only after stopping, and start moving only after the doors are fully closed.**

Answer: 2

---

91. **The carriage of passengers is prohibited if:**

1. The number of people on a bus operating on a tourist route exceeds the number of fitted seats.
2. The bus doors are partially open.
3. **In both cases.**

Answer: 3

---

92. Organized groups of children must be transported:

1. **In a bus displaying the 'Transportation of Children' identification sign.**
2. In a bus displaying the 'Speed Limit' identification sign.
3. In both cases.

Answer: 1

---

93. What is the maximum permitted speed for buses operating interregional and intercity passenger services on all roads outside built-up areas?

1. **90 km/h.**
2. 110 km/h.
3. 60 km/h.

Answer: 1

---

94. Is an intercity bus driver permitted to exceed 70 km/h outside built-up areas?

1. Yes, up to 110 km/h on motorways.
2. **Yes, provided the speed does not exceed 90 km/h.**
3. No, it is prohibited.

Answer: 2

---


95. Are tourist buses permitted to travel at 70 km/h outside built-up areas?

1. **Yes, it is permitted.**
2. No, it is prohibited.

Answer: 1

---

96. Is the driver of the tourist bus permitted to pick up a passenger in the situation shown?



1. Yes.
2. **No.**
3. Yes, provided this does not obstruct public transport vehicles.

Answer: 2

---

97. What is the maximum permitted speed for tourist buses on motorways?

1. 70 km/h.
2. **90 km/h.**
3. 100 km/h.
4. 110 km/h.

Answer: 2

---

98. On roads marked with this sign, drivers of interregional buses must not exceed:



1. 90 km/h.
2. 70 km/h.
3. **60 km/h.**

Answer: 3

99. On roads marked with this sign, drivers of intercity buses must not exceed:



1. **90 km/h.**
2. 70 km/h.
3. 60 km/h.

Answer: 1

100. What is the maximum speed permitted for the driver of a suburban bus in this situation?



1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**

Answer: 3

---

101. What is the maximum permitted speed for buses in areas marked by the 'Residential Zone' and 'End of Residential Zone' signs?

1. 60 km/h.
2. **20 km/h.**
3. 40 km/h.

Answer: 2

---

102. At what speed may the bus driver continue within the area indicated by this road sign?



1. **Not less than 60 km/h and not more than 90 km/h.**
2. Not less than 60 km/h and not more than 70 km/h.
3. Not more than 60 km/h.

Answer: 1

---

103. What is the maximum permitted speed for drivers of interregional buses where this sign is displayed?



1. 60 km/h.
2. 70 km/h.
3. **90 km/h.**
4. 110 km/h.

Answer: 3

---

104. When towing a passenger car with a bus, the maximum permitted speed is:

1. 90 km/h.
2. 60 km/h.
3. **50 km/h.**

Answer: 3

---

105. What must a bus driver do if the reversible traffic signal is switched off while driving in a reversible lane?

1. Continue to the nearest intersection and then move to the right of the road marking.
2. **Immediately move to the right of the road marking.**

Answer: 2

---

106. Is through traffic by buses permitted in residential zones?

1. Permitted only for residents living there.
2. Permitted in designated places.
3. **Prohibited.**
4. Permitted whenever necessary.

Answer: 3

---

107. 'Organised transport of groups of children' means:

1. The organised transport of three or more children of preschool or school age.
2. **The organised transport of two or more children of preschool or school age by a motor vehicle (excluding public transport vehicles).**

Answer: 2

---

108. **If the carriageway is divided into lanes by road markings, a bus driver is permitted to cross broken lane lines:**

1. In heavy traffic when all lanes are occupied.
2. **Only when changing lanes.**
3. In all cases.

Answer: 2

---

109. **Is towing with a bus permitted in foggy conditions?**

1. No, it is not permitted.
2. **Yes, at a speed not exceeding 50 km/h.**

Answer: 2

---

110. **In this situation, the driver of the bus changing to the right lane:**



1. **Must not obstruct the passenger car.**
2. Has priority because the driver is completing an overtaking manoeuvre.
3. Has priority because the bus's right turn indicator is switched on.

Answer: 1

---

111. **Are the actions of the bus driver travelling in the centre of the road consistent with the Road Traffic Rules?**



1. Yes, they are.
2. Yes, if there are no oncoming vehicles.
3. **No, they are not.**

Answer: 3

---

112. Must the bus driver yield the right of way to the passenger car?



1. Yes, the driver must yield.
2. **No, the driver is not required to yield.**

Answer: 2

---

113. Must the bus driver yield the right of way to the truck?



1. Yes, the driver must yield.
2. Yes, if the truck has begun changing to the right lane.
3. **No, the driver is not required to yield.**

Answer: 3

---

114. Is the bus driver permitted to turn right in this situation?



1. Yes, but only if driving a route-service bus.
2. **Yes, any bus driver is permitted.**

Answer: 2

---

115. **In a built-up area, is the driver of a bus with a maximum authorised mass exceeding 3.5 tonnes permitted to change into the third lane along the indicated path and stop?**



1. **Yes, it is permitted.**
2. No, it is not permitted.

Answer: 1

---

116. **You are driving a route-service bus and intend to make a U-turn. What must you do in this situation?**



1. Make the manoeuvre first, because route-service buses have priority when making U-turns at intersections.
2. **Yield the right of way to the passenger car.**

Answer: 2
